

Diesel Engine Oils



TECHNICAL DATA SHEET

HDC 40 Plus

High Performance Diesel Engine Oil

Product Description

Veedol **HDC 40 Plus** is a high performance, premium diesel engine oil, suitable for modern generation turbocharged / supercharged automobile, heavy duty industrial and off-highway diesel engines.

Performance Specification

Veedol HDC 40 Plus meets the performance requirements of the following:

API : CH-4/SJ | ACEA EF-04,A3/B4-08 | MB 228.3 | MAN 3275 | Volvo VDS-2 | Renault RD-2 | Mack EO-M+ | CUMMINS: CES 20077 | Caterpillar ECF-1a | Deutz DCQ-II | MTU 2.0

Features & Benefits

1. Processed from premium quality virgin base oils and performance additives.
2. Excellent soot control.
3. Excellent oxidation and thermal stability.
4. Outstanding anti- wear properties for protecting heavily loaded engine parts.
5. Maintains engine cleanliness.
6. Provides optimum cooling to all engine components.

Typical Properties

Test Parameters	ASTM Method	Typical Values
Density @15°C	D4052	0.8941
Kinematic Viscosity @100°C, cSt	D445	14.81
Viscosity Index	D2270	108
Total Base Number, mg KOH/gm	D2896	11
Pour Point, °C	D97	-21
Flash Point (COC), °C	D92	250

*Properties mentioned above are typical only, and minor variation which do not affect the product performance, are to be expected in normal manufacturing.

www.veedol.ae

Find the best oil for your vehicle @ www.veedol.ae/lube-advisor

This information may contain proprietary, confidential or privileged data or any matter which is subject to Intellectual Property Rights owned by Veedol International Ltd.



Ford Model T



Nürburgring



Africa Eco Race