



TECHNICAL DATA SHEET

SYNTRON 5W-20

Fully Synthetic Petrol Engine Oil

Product Description

Veedol **Syntron 5W-20** is a fully synthetic engine oil formulated for the latest intelligent Eco Engines including stop/start technology. The carefully selected base stocks and synthetic additives give this multigrade engine oil elevated levels of engine component protection as Well as being fuel efficient.

Performance Specification

Veedol Syntron 5W-20 meets and exceeds the following performance requirements: API SN | ACEA A5/B5 | Ford: M2C925-A/B & M2C948-B| ILSAC: GF-5| STJLR.03.5004

Features & Benefits



- Extended service intervals. (Subject to manufacturers recommendations)
- Protects components from wear and corrosion
- High level of engine cleanliness
- Excellent cold start capabilities.

Typical Properties:

Test Parameters	ASTM Method	Typical Values
Density @15°C	D4052	0.85
Kinematic Viscosity @100°C, cSt	D445	8.7
Viscosity Index	D2270	168
Total Base Number, mg KOH/gm	D2896	8
Pour Point, °C	D97	-43
Flash Point (COC), °C	D92	224

*Properties mentioned above are typical only, and minor variation which do not affect the product performance, are to be expected in normal manufacturing.

www.veedol.ae

Find the best oil for your vehicle @ www.veedol.ae/lube-advisor

This information may contain proprietary, confidential or privileged data or any matter which is subject to Intellectual Property Rights owned by Veedol International Ltd.



© Veedol International DMCC. All rights reserved.

*Registered trademarks of Veedol International UK.