

Passenger Car Motor Oils

TECHNICAL DATA SHEET

SYNTRON 5W-30

Fully Synthetic Petrol Engine Oil

Product Description

Veedol **Syntron 5W-30** is a fully synthetic high performance multigrade engine oil engineered with latest in lubricant technology providing unmatched performance in toughest conditions. Veedol Syntron's high quality blend and advanced technology deliver excellent fuel economy with improved film strength and oxidation stability. It is ideal for vehicles requiring 5W-30 viscosity engine oil including MB & BMW.

Performance Specification

Veedol Syntron 5W-30 meets and exceeds the following performance requirements: API SN | ACEA A3/B4 | MB 229.5 | BMW LL-01 | Renault RN0700/RN0710

Features & Benefits



- 1. Excellent fuel efficiency.
- 2. Provides optimum performance and engine protection at extreme temperature.
- 3. Excellent piston deposit control.
- 4. Superior protection against sludge formation and combustion contamination.
- 5. High Level of engine cleanliness

Typical Properties:

Test Parameters	ASTM Method	Typical Values
Density @15°C	D4052	0.852
Kinematic Viscosity @100°C, cSt	D445	11.14
Viscosity Index	D2270	157
Total Base Number, mg KOH/gm	D2896	10.6
Pour Point, °C	D97	-42
Flash Point (COC), °C	D92	226

*Properties mentioned above are typical only, and minor variation which do not affect the product performance, are to be expected in normal manufacturing.

www.veedol.ae

Find the best oil for your vehicle @ www.veedol.ae/lube-advisor

This information may contain proprietary, confidential or privileged data or any matter which is subject to Intellectual Property Rights owned by Veedol International Ltd.



© Veedol International DMCC. All rights reserved.

*Registered trademarks of Veedol International UK.